



NOTIS PERKAPALAN MALAYSIA
MALAYSIA SHIPPING NOTICE

MSN 24/2010

JABATAN LAUT MALAYSIA

MARINE DEPARTMENT MALAYSIA

Ibu Pejabat Laut Semenanjung Malaysia, Peti Surat 12, 42007 Pelabuhan Klang

Tel: 03-33467777, Fax : 03-31685289, E-mail : kpgr@marine.gov.my

Webpage: <http://www.marine.gov.my>

Notis kepada pemilik kapal, agen perkapalan, Nakhoda, pelaut, pengusaha pelabuhan, badan klasifikasi yang diiktiraf, pengurus kapal dan industri maritim

Notice to shipowners, ship agents, Masters, seafarers, port operators, recognized organization, ship manager and the maritime industry

AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, AS AMENDED

1. The purpose of this Notice is to inform the shipping community the adoption of the amendments of CHAPTER VII by Maritime Safety Committee during its 85th session on 4th December 2008 ([RESOLUTION MSC.271\(85\)](#))
2. The amendments to above chapter of SOLAS 74 amended are attached as appendix 1
3. Shipping Communities are advice to take note the date of entry into force and comply fully with the requirements of the above amendments when carrying Dangerous goods.

Pengarah Laut/ Director General of Marine

Tarikh/Date: 1st January 2010

ANNEX

**AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR
HIGH-SPEED CRAFT, 2000 (2000 HSC CODE)**

**CHAPTER 7
FIRE SAFETY**

- 1 At the end of paragraph 7.17.1, the following new sentence is added:

.Craft constructed on or after 1 July 2002 but before 1 January 2011, with cargo spaces intended for the carriage of packaged dangerous goods, shall comply with 7.13.3, except when carrying dangerous goods specified as classes 6.2 and 7 and dangerous goods in limited quantities* and excepted quantities** in accordance with tables 7.17-1 and 7.17-3, not later than the date of the first renewal survey on or after 1 January 2011..

* Refer to chapter 3.4 of the IMDG Code.

** Refer to chapter 3.5 of the IMDG Code.

- 2 The existing note 1 to table 7.17-1 is replaced by the following:

.1 For classes 4 and 5.1 solids not applicable to closed freight containers. For classes 2, 3, 6.1 and 8 when carried in closed freight containers the ventilation rate may be reduced to not less than two air changes per hour. For classes 4 and 5.1 liquids when carried in closed freight containers, the ventilation rate may be reduced to not less than two air changes per hour. For the purpose of this requirement a portable tank is a closed freight container..

- 3 The existing table 7.17-3 is replaced by the following:

.Table 7.17-3
Application of the requirements of section 7.17.3 to different classes of dangerous goods
except solid dangerous goods in bulk

Section \ Class	1.1 to 1.6 ⁹	1.4S	2.1	2.2	2.3 flammable ¹⁷	2.3 non-flammable	3 FP ¹² < 23°C	3 FP ¹² ≥ 23°C to ≤ 60°C	4.1	4.2	4.3 liquids ¹⁸	4.3 solids	5.1 ¹⁰	5.2 ¹³	6.1 liquids FP ¹² < 23°C	6.1 liquids FP ¹² ≥ 23°C to ≤ 60°C	6.1 liquids	6.1 solids	8 liquids FP ¹² < 23°C	8 liquids FP ¹² ≥ 23°C to ≤ 60°C	8 liquids	8 solids	9
7.17.3.1.1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
7.17.3.1.2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-
7.17.3.1.3	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.17.3.1.4	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.17.3.2	X	-	X	-	X	-	X	-	-	-	X ¹⁵	-	-	-	X	-	-	-	X	-	-	-	X ¹⁴
7.17.3.3	X	X	X	X	-	X	X	X	X	X	X	X	X	-	X	X	X	X	X	X	X	X	-
7.17.3.4.1	-	-	X	-	-	X	X	-	X ⁸	X ⁸	X	X	X ⁸	-	X	X	-	X ⁸	X	X	-	-	X ⁸
7.17.3.4.2	-	-	X	-	-	-	X	-	-	-	-	-	-	-	X	-	-	-	X	-	-	-	X ¹⁴
7.17.3.5	-	-	-	-	-	-	X	-	-	-	-	-	-	-	X	X	X	-	X	X ¹⁶	X ¹⁶	-	-
7.17.3.6	-	-	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X ¹¹
7.17.3.7	-	-	-	-	-	-	X	X	X	X	X	X	X	-	X	X	-	-	X	X	-	-	-
7.17.3.8	X ⁹	X	X	X	X	X	X	X	X	X	X	X	X ¹⁰	X	X	X	X	X	X	X	X	X	X
7.17.3.9	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
7.17.3.10	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

- 8 When .mechanically-ventilated spaces. are required by the IMDG Code.
- 9 Stow 3 m horizontally away from the machinery space boundaries in all cases.
- 10 Refer to the IMDG Code.
- 11 As appropriate for the goods to be carried.
- 12 FP means flashpoint.

- 13 Under the provisions of the IMDG Code, stowage of class 5.2 dangerous goods under deck or in enclosed ro-ro spaces is prohibited.
 - 14 Only applicable to dangerous goods evolving flammable vapour listed in the IMDG Code.
 - 15 Only applicable to dangerous goods having a flashpoint less than 23°C listed in the IMDG Code.
 - 16 Only applicable to dangerous goods having a subsidiary risk class 6.1.
 - 17 Under the provisions of the IMDG Code, stowage of class 2.3 having subsidiary risk class 2.1 under deck or in enclosed ro-ro spaces is prohibited.
 - 18 Under the provisions of the IMDG Code, stowage of class 4.3 liquids having a flashpoint less than 23°C under deck or in enclosed ro-ro spaces is prohibited..
- 4 In paragraph 7.17.1, after the words .except when carrying dangerous goods in limited quantities, the following words are added: .and excepted quantities*..

* Refer to chapter 3.5 of the IMDG Code.
